


4.1.1 Weight Limitations – continued

Main Deck



	A1	A2	B	CR CL	DR DL	ER EL	FR FL	GR GL	HR HL	JR JL	KR KL	LR LL	MR ML	PR PL	QR QL	RR RL	SR SL	T				
	*			***																		
88x125" lateral	3356 per ULD																					
88x125 longitudinal	A=3584 ****		4808 ****	6123 per ULD			6803 per ULD						6123 per ULD		6123 per ULD	6441 per ULD	2041					
96x125" lateral	3674 per ULD																					
96x125 longitudinal	A=3584 ****		4808 ****	6123 per ULD			6803 per ULD						6123 per ULD		6123 per ULD	6803 per ULD	2041					
96x196 longitudinal				9300 per ULD																		
96x196 lateral				7393 per ULD			9300 per ULD			7393 per ULD				7393 per ULD								
96x238,5				11340 per ULD																		
96x55 (PYB)																			1814 per ULD			
Max Running Load	1515			3035			4283**			3035**												

* maximum loading height: 2,44 m (96")

** forward half of position K : 4283k/m - aft half of position K: 3035/m

*** In case of special heavy duty pallets (PMS 96x125"), max weight is 9030 per ULD

**** Position A (longitudinal 88 or 96 ") : 75% on A1, 25 % on A2

Position B (longitudinal 88 or 96") : 30% on A2, 70% on B1


4.1.1 Weight Limitations – continued

Lower Deck


Compartment	ULD	Maximum Gross Weight per ULD
1,2	88x125"	4626
	96x125"	5034
	60,4x125"	3175
	LD3 Container per pair	3175
3,4	88x125"	4626
	96x125"	5034
	60,4x125"	3175
	LD3 Container per pair	3175

Bulk Compartment


Net Sector	Usable Volume (m³)	Max Floor Load kg/m²	Max Running Load kg/m	Max Weight per Net Sector	Max Compartment Capacity
52	4,2	730	1250	1905	6749
53	4,5		964	1469	
54	3,3		676	1034	




4.2.3 Lower Deck Load Combinations, Forward Hold




16 LD3




4 LD3 and 4 x 96" - pallets



14 LD3 and one 88"/96" pallet




4 LD3 and 4 x 88" - pallets




10 LD3 and 2 x 88"/96" - pallets

Note:
This table just illustrates the standard possibilities of pallet and container combinations. All combinations for the pallet-locks have not been considered in this table!




6 AKE and 3 x 88"/96" - pallets




2 AKE and 5 x 88" - pallets

← FORWARD


4.2.3 Lower Deck Load Combinations, Aft Hold




4 LD3 and 4 x 88" - pallets or
4 LD3 and one 96"/ 3 88"-plts




10 LD3 and 2 x 88" - pallets



2 AKE and 4 x 88"/ 96" - pallets



12 AKE and one 88" - pallet



6 AKE and 3 x 88" - pallets



16 AKE

FORWARD



Note:

This table just illustrates the standard possibilities of pallet and container combinations. All combinations for the pallet-locks have not been considered in this table!